



The PROFILE collection by Woodzco offers a refined architectural solution that combines clean linear design with the warmth of natural wood. Designed to enhance interior spaces through rhythm, depth, and texture, PROFILE coverings deliver aesthetic impact. The collection allows for design flexibility while meeting the technical requirements of contemporary architectural projects.

With more than seven (7) possible configurations and three (3) standard solid wood species available in 8-foot length, this collection, with its engineered composition and clean lines, brings depth, rhythm, and elegance to interior spaces.

Manufactured in Canada to the highest industry standards, with a strong commitment to acoustic performance and tailor-made solutions.

Key features

- » Quick and easy-to-install rigid decorative architectural wood coverings
- » Designed for interior installation on walls, ceilings and custom-made furniture
- » Three standard species of solid wood
- » Four patterns to choose from that can be mixed and matched to create unique designs
- » “Mini sizes” coverings can be used for curved surfaces



CAN/ULC S102 FS1 < 150 SDI < 450
ASTM E-84 CLASS C

Specifications

SOLID WOOD SPECIES	Standard solid wood: Aspen (flat cut), Birch (flat cut) and White Oak (rift cut)
COVERING SIZES	<ul style="list-style-type: none"> Standard size: 8-foot length covering: 7/8" x 3" x 95" (22 mm x 76 mm x 2 413 mm) Mini size: 8-foot length covering: 7/8" x 1-1/2" x 95" (22 mm x 38 mm x 2 413 mm) Also offered in random lengths - upon availability
FINISHING	<ul style="list-style-type: none"> Pre-sanded and unfinished only
CUSTOMIZATION	*Custom options available (minimum order of 400 sq.ft.)

Technical data

FIRE PERFORMANCE	<ul style="list-style-type: none"> CAN/ULC S102 (FSI < 150; SDI < 450). Also available: FSI<25, some conditions apply* ASTM E-84 (Class C). Also available: Class A, some conditions apply*
ENVIRONMENT	<ul style="list-style-type: none"> LEED v5 FSC certification of the product available upon request only No Added Formaldehyde (NAF) product available
USE	For interior uses only
SHIPPING	Woodzco products are carefully packaged at the factory and shipped in bulk on wooden pallets
SITE CONDITIONS	<ul style="list-style-type: none"> Wood products are naturally hygroscopic and must be stored flat, installed, and maintained in a controlled indoor environment Temperature: maintain between 50 °F and 86 °F (10 °C and 30 °C) Relative humidity: maintain between a minimum of 25 % and a maximum of 55 % (with no more than 20 % difference between maximum and minimum) <p>Failure to comply with one or more of these on-site conditions will void Woodzco's limited warranty</p>
WARRANTY	Three (3) year warranty on all Woodzco products. Please refer to Woodzco's limited warranty on our website for full details

LEED V5	
MATERIALS AND RESSOURCES (MR)	INDOOR ENVIRONMENTAL QUALITY (IEQ)
MRc3 Low Emitting Materials ✓	EQc2 Occupant Experience ✓
VOC Emissions (CDPH) ✓	Option 1 Biophilic ✓
Formaldehyde Emissions (CARB) ✓	Path 1 Integrated Biophilic Design ✓



FE © 2026, Woodzco. All rights reserved.

CONFIGURATIONS

HORIZON

PRODUCT CODE	SIZES	DIMENSIONS	SOLID WOOD
ITEM			SPECIES
PUS 011 AS10 L8	Standard	7/8" x 3" x 95"	Aspen
PUS 011 BI10 L8	Standard	7/8" x 3" x 95"	Birch
PUS 011 WO10 L8	Standard	7/8" x 3" x 95"	White Oak
PUS 011 AS10 L0	Standard	Random lengths	Aspen
PUS 011 BI10 L0	Standard	Random lengths	Birch
PUS 011 WO10 L0	Standard	Random lengths	White Oak



Figure 1. Isometric section view of the PROFILE - HORIZON (Standard).



Figure 2. Plan view of the PROFILE - HORIZON (Standard).

CLIFF

PRODUCT CODE	SIZES	DIMENSIONS	SOLID WOOD
ITEM			SPECIES
PUS 012 AS10 L8	Standard	7/8" x 3" x 95"	Aspen
PUS 012 BI10 L8	Standard	7/8" x 3" x 95"	Birch
PUS 012 WO10 L8	Standard	7/8" x 3" x 95"	White Oak
PUS 015 AS10 L8	Mini	7/8" x 1-1/2" x 95"	Aspen
PUS 015 AS10 L8	Mini	7/8" x 1-1/2" x 95"	Birch
PUS 015 AS10 L8	Mini	7/8" x 1-1/2" x 95"	White Oak
PUS 012 AS10 L0	Standard	Random lengths	Aspen
PUS 012 BI10 L0	Standard	Random lengths	Birch
PUS 012 WO10 L0	Standard	Random lengths	White Oak



Figure 3. Isometric section view of the PROFILE - CLIFF (Mini & Standard)



Figure 4. Plan view of the PROFILE - CLIFF (Mini & Standard)

CONFIGURATIONS

FJORD

PRODUCT CODE	SIZES	DIMENSIONS	SOLID WOOD
ITEM			SPECIES
PUS 013 AS10 L8	Standard	7/8" x 3" x 95"	Aspen
PUS 013 BI10 L8	Standard	7/8" x 3" x 95"	Birch
PUS 013 WO10 L8	Standard	7/8" x 3" x 95"	White Oak
PUS 016 AS10 L8	Mini	7/8" x 1-1/2" x 95"	Aspen
PUS 016 AS10 L8	Mini	7/8" x 1-1/2" x 95"	Birch
PUS 016 AS10 L8	Mini	7/8" x 1-1/2" x 95"	White Oak
PUS 013 AS10 L0	Standard	Random lengths	Aspen
PUS 013 BI10 L0	Standard	Random lengths	Birch
PUS 013 WO10 L0	Standard	Random lengths	White Oak



Figure 5. Isometric section view of the PROFILE - FJORD (Mini & Standard).



Figure 6. Plan view of the PROFILE - FJORD (Mini & Standard).

COLLINE

PRODUCT CODE	SIZES	DIMENSIONS	SOLID WOOD
ITEM			SPECIES
PUS 014 AS10 L8	Standard	7/8" x 3" x 95"	Aspen
PUS 014 BI10 L8	Standard	7/8" x 3" x 95"	Birch
PUS 014 WO10 L8	Standard	7/8" x 3" x 95"	White Oak
PUS 017 AS10 L8	Mini	7/8" x 1-1/2" x 95"	Aspen
PUS 017 AS10 L8	Mini	7/8" x 1-1/2" x 95"	Birch
PUS 017 AS10 L8	Mini	7/8" x 1-1/2" x 95"	White Oak
PUS 014 AS10 L0	Standard	Random lengths	Aspen
PUS 014 BI10 L0	Standard	Random lengths	Birch
PUS 014 WO10 L0	Standard	Random lengths	White Oak



Figure 7. Isometric section view of the PROFILE - COLLINE (Mini & Standard)



Figure 8. Plan view of the PROFILE - COLLINE (Mini & Standard)


INSTALLING

Refer to the installation guide for complete details.

FINISHING

Solid Wood Species

Available in three (3) standard solid wood species (Grade = Common A), with additional wood species available upon request*



Covering lengths

Available in one (1) standard length (L): 95" (8). Also available in random lengths*

Disclaimer: A single sample may not accurately represent the full range of natural variations that can be expected. Due to the inherent properties and characteristics of wood, these samples should be considered an approximation of the effect that may be achieved. Some wood species exhibit greater natural appearance variations than others. We have made every effort to make the colors as accurate as possible. Please allow a tolerance of 1/16" in the actual dimensions of all our products. Due to continual product improvement, the information contained in this document is subject to change without notice. Woodzco assumes no responsibility for any errors or omissions that may have occurred inadvertently in this document.

*For further information, contact your Woodzco representative. Certain conditions apply.